

Advances in AI in advanced prostate cancer

Professor Antonio Alcaraz, MD, PhD

Chair Department of Urology – Hospital Clinic Barcelona Professor of Urology – University of Barcelona

Prescribing information is available at the end of this presentation.

This promotional meeting is fully sponsored and supported by Astellas, including speaker-related honoraria and production of materials. It is intended for healthcare professionals only.

UK: Adverse events should be reported.

Reporting forms and information can be found at https://yellowcard.mhra.gov.uk/ or search for 'MHRA yellow card' in the Google Play Store or Apple App Store. Adverse events should also be reported to Astellas Pharma Ltd on 0800 783 5018

NL: Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicinal product is important. It allows continued monitoring of the benefit/risk balance of the medicinal product. Healthcare professionals are asked to report any suspected adverse reactions via the national reporting system. Nederland:

Nederlands Bijwerkingen Centrum Lareb; Website: www.lareb.nl







Disclosures

Professor Alcaraz has acted as a speaker for the following companies:

- Astellas, Bayer, Casen Recordati, Ipsen, Janssen and Olympus
- The speaker has received an honorarium for this presentation





Artificial intelligence (AI)





The ability of a machine to perform cognitive tasks with a specific objective based on the provided data







Image provided by the speaker using the EU European data market monitoring tool. Available at: The European data market monitoring tool - Publications Office of the EU. Last accessed: June 2025. MAT-NL-XTD-2025-00036 | July 2025

Global trend of publications and total citations on Al research in prostate cancer from 1999 to 2020





Subsets of artificial intelligence

Artificial Intelligence Machine Learning Deep Learning

Figure adapted from Zhuhadar L, et al. 2023.
Al, artificial intelligence; DL, deep learning; ML, machine learning Zhuhadar LP, et al. *Sustainability* 2023;15:13484.
MAT-NL-XTD-2025-00036 | July 2025

Artificial Intelligence, Al:

The ability of a machine to perform cognitive tasks with a specific objective based on the provided data.

Machine Learning, ML:

- Supervised learning:
 - Naive Bayes Classification
 - Linear And Logistic Regression
 - Support Vector Machines
 - Random Forests
- Unsupervised learning:
 - K-means Clustering
 - Principal Component Analysis
 - Autoencoders

Deep Learning, DL:

- Artificial Neural Network
- Convolutional Neural Network

Applications of AI in prostate cancer care: A path to enhanced efficiency and outcomes

Riaz I, et al. Am Soc Clin Oncol Educ Book. 2024;44(3):e438516

 Generative AI can be leveraged for actively monitoring and synthesizing newly published information for living clinical practice guidelines and synthetic data generation and in silico trial emulation, accelerating clinical research while reducing costs and time effort.

PRACTICAL APPLICATIONS

- Integrating artificial intelligence (AI) into prostate cancer care can enhance clinical decision making, lower documentation burden, and accelerate evidence generation and synthesis and drug development.
- Significant progress in localized prostate cancer has been made, including improved and early detection, targeted biopsy, grading, disease prognostication, and outcome prediction, using imaging and pathology data. Al products are now available to facilitate prostate cancer diagnosis, determine Gleason score, and predict the benefit of androgen deprivation therapy in patients receiving radiation therapy.
- In metastatic prostate cancer, Al-facilitated quantification of metastatic burden, accurate identification of castration resistance, and prediction of treatment sensitivity and resistance are active research areas. Integrating multimodal data, including imaging, genomics, and clinical information, holds promise for refined prognostication and personalized treatment selection.
- Large language models are well-poised to facilitate information extraction from patients' electronic health records for deep clinical phenotyping of patients with cancer, thus lowering the effort for maintaining clinical-genomic registries and facilitating information gathering and reporting across the life cycle of clinical trials.
- Generative AI can be leveraged for actively monitoring and synthesizing newly published information for living clinical practice guidelines and synthetic data generation and in silico trial emulation, accelerating clinical research while reducing costs and time effort.









Applications of ChatGPT and CoPilot in daily life



- To respond to email
- To design a study
- To write a scientific paper

- To do a meta-analysis
- To get immediate answer to a specific question

We should not lose the opportunity to use one of the greatest discoveries over the last years



Applications of ChatGPT and CoPilot in daily life



- Outpatient note on the clinical chart
- Ordering image/blood test
- Making patient report
- •
- Lowering documentation burden
- Looking in the patient's eyes. Paying attention to what he says

Applications of AI in prostate cancer care: A path to enhanced efficiency and outcomes

Riaz I, et al. Am Soc Clin Oncol Educ Book. 2024;44(3):e438516

PRACTICAL APPLICATIONS

- Integrating artificial intelligence (AI) into prostate cancer care can enhance clinical decision making, lower documentation burden, and accelerate evidence generation and synthesis and drug development.
- Significant progress in localized prostate cancer has been made, including improved and early detection, targeted biopsy, grading, disease prognostication, and outcome prediction, using imaging and pathology data. Al products are now available to facilitate prostate cancer diagnosis, determine Gleason score, and predict the benefit of androgen deprivation therapy in patients receiving radiation therapy.

PRACTICAL APPLICATIONS

- Integrating artificial intelligence (AI) into prostate cancer care can enhance clinical decision making, lower documentation burden, and accelerate evidence generation and synthesis and drug development.
- Significant progress in localized prostate cancer has been made, including improved and early detection, targeted biopsy, grading, disease prognostication, and outcome prediction, using imaging and pathology data. Al products are now available to facilitate prostate cancer diagnosis, determine Gleason score, and predict the benefit of androgen deprivation therapy in patients receiving radiation therapy.
- In metastatic prostate cancer, Al-facilitated quantification of metastatic burden, accurate identification of castration resistance, and prediction of treatment sensitivity and resistance are active research areas. Integrating multimodal data, including imaging, genomics, and clinical information, holds promise for refined prognostication and personalized treatment selection.
- Large language models are well-poised to facilitate information extraction from patients' electronic health records for deep clinical phenotyping of patients with cancer, thus lowering the effort for maintaining clinical-genomic registries and facilitating information gathering and reporting across the life cycle of clinical trials.
- Generative AI can be leveraged for actively monitoring and synthesizing newly published information for living clinical practice guidelines and synthetic data generation and in silico trial emulation, accelerating clinical research while reducing costs and time effort.

Al and prostate cancer


Localized Disease

Biochemically Recurrent Disease


Metastatic Disease

Castrate-Sensitive

Castrate-Resistant



- Targeted biopsy
- Cancer detection
- Cancer grading
- Cancer staging



Treatment decision

- Need for treatment
- Selection of definitive treatment modality

Figure adapted from Riaz I, et al. 2024. Al, artificial intelligence. Riaz I, et al. *Am Soc Clin Oncol Educ Book*. 2024;44:e438516. MAT-NL-XTD-2025-00036 | July 2025

Ongoing studies for the utility of AI in prostate cancer care

TABLE 1. On-Going Studies for the Utility of Artificial Intelligence in Prostate Cancer Care

| NCT Study | Inclusion Criteria | Exclusion Criteria | Design | Primary Outcome Measures |
|--|---|--|---|---|
| NCT05355727 PROSAIC-DS Study | All patients referred to prostate MDT meetings with sufficient information for treatment decisions | Patients with inadequate data for treatment decisions, nonconsenting | Randomized parallel assignment double blind trial | Evaluation of PROSAIC-DS as a triage tool and its influence on MDTM concordance with guidelines over 6-9 months |
| NCT05384002 Al Platform Integrating Imaging Data | Histologically confirmed PCa or suspicion of PCa; MRI examination; age ≥18 years; signed informed consent | None specified | Nonrandomized cohort | Development of AI models for prostate cancer diagnosis and management |
| NCT05443412 Al-Assisted Risk-based Prostate Cancer Detection | Men ≥18 years; clinical suspicion of prostate cancer; PSA 4-20 ng/mL; | Prior prostate biopsy; past/current history of prostate cancer; | Nonrandomized cohort | Diagnosis of csPCa; assessed by machine learning algorithms over |
| | digital rectal examination ≤cT2; able to provide consent | contraindications to MRI or biopsy | an average of 1 year | |
| NCT06363435 Al-based Measurements of Tumor Burden in PSMA PET-CT | Patients referred for clinically indicated 18F-PSMA-1007 PET-CT scan at Skåne Unit sitt Hospital | Patients younger than 20 years | Nonrandomized cohort | Evaluation of tumor burden in relation to overall survival over a 5-year follow-up |
| NCT04605276 3DmpUS for Pca | Men ≥18 years with child it was or confirmed prostute cunder, scheduled for biopsy or prostatectomy; signed consent | No npMF Ir erfo t ed prio Vstranemo her py fur PCa; r.cen. prostate biopsy; hormonal therapy for prostate cancer within the past 6 months; severe pulmonary hypertension or other specified conditions | | Collection and analysis of 3D multiparametric ultrasound and histology data to train and improve the classifier algorithm |
| NCT06362291 MRI Al-cTB v Routine cTB | Age 45-85 years; complete mpMRI data; suspicious prostate lesions or indications of prostate biopsy; qualifying PSA levels or ratios | Received prior radiotherapy, chemotherapy, or surgery; unqualified or incomplete mpMRI data; patients not fitting the biopsy indication criteria; incomplete clinical information | Randomized parallel assignment single-blind trial | Comparison of the clinically significant prostate cancer (csPCa) detection rate between targeted biopsy and systematic biopsy combined approaches, evaluated 1 month after the biopsy procedure |
| NCT03452774 SYNERGY-AI | Patients with solid and hematological malignancies; cancer-related biomarkers detected; decision for clinical trial prescreening enrollment by provider and/or patient | ECOG PS >2; abnormal organ function; hospice enrollment | Nonrandomized cohort | Proportion of patients eligible for clinical trial prescreening enrollment versus actual enrollment, assessed through study completion, an average of 1 year |

Revista: European Urol Oncol Section: Adult Urology

Category: Original research study

Real-World Evidence in Localized and Locally Advanced Prostate Cancer.

Applying Artificial Intelligence to Electronic Health Records: The

OVERVIEW Study

AUTORES: Maroto P.¹, Puente J.², Conde Moreno A.J.³, Juárez A.⁴, Garcillán B.⁵, Calderón J.M.⁵, Muñoz del Toro J.⁵, Valdivieso J⁶, López M⁶, Sarró E ⁶, Alcaraz A.⁷

¹Hospital de la Santa Creu i Sant Pau, Dept. of Medical Oncology, Barcelona, Spain


Running head: Real-World Evidence in Localized and Locally Advanced Prostate Cancer.

Key words: Prostate cancer, Localized and Locally Advanced Prostate Cancer, artificial

intelligence, electronic health records, big data, natural language processing, machine learning.

Figure used with speaker/author permission. Puente MP, et al. Unpublished data.
MAT-NL-XTD-2025-00036 | July 2025





²Hospital Clínico San Carlos, Dept. of Medical Oncology, Madrid, Spain

³Hospital Universitario La Fe, Dept. Of Radiation Oncology, Valencia, Spain

⁴Hospital Universitario de Jerez, Dept. of Urology, Jerez, Spain

⁵Johnson & Johnson Innovative Medicine, Medical Affairs Dept., Madrid, Spain

⁶Savana Research S.L., Madrid, Spain

⁷Hospital Clinic, Dept. of Urology, Barcelona, Spain

Study groups and subgroups





Figure used with speaker/author permission.

ADT, androgen therapy; AS, active surveillance; BT, brachytherapy; EFS, event-free survival; EHR, electronic health record; HR, high-risk; IR, intermediate risk; LPC, localised prostate cancer; LAPC, localised prostate cancer; PCa, prostate cancer antigen; PSA, prostate-specific antigen; RT, radiotherapy; Unk R, unknown risk; WW< watchful waiting.

Puente MP, et al. Unpublished data.



Figures used with speaker/author permission.

ADT, androgen therapy; AS< active surveillance; BT, brachytherapy; EFS, event-free survival; HR, high-risk; IR, intermediate risk; LPC, localised prostate cancer; LAPC, locally advanced prostate cancer; RT, radiotherapy; Unk R, unknown risk; WW, watchful waiting.

Puente MP, et al. Unpublished data. MAT-NL-XTD-2025-00036 | July 2025






Diagnosis


Pathology




Artificial intelligence for diagnosis and Gleason grading of prostate cancer: the PANDA challenge







The algorithms achieved agreements of 0.862 (quadratically weighted κ , 95% confidence interval (CI), 0.840–0.884) and 0.868 (95% CI: 0.835–0.900) with expert uropathologists.





Paige Prostate for prostate cancer

Medtech innovation briefing Published: 30 November 2021 www.nice.org.uk/guidance/mib280

Summary

- The **technology** described in this briefing is Paige Prostate. It is an artificial intelligence-based imaging system designed to help identify and diagnose cancer in prostate biopsies.
- The **innovative aspects** are the multiple instance learning algorithm which reports to improve accurate and timely prostate cancer detection.
- The intended **place in therapy** would be in addition to standard care, supporting the detection of prostate cancer from biopsies. It can be used in laboratories that have partial or fully digital operations.
- The main points from the evidence summarised in this briefing are from 5 published observational studies including a total of 3,444 biopsy slides reviewed in a pathology lab. They show that Paige Prostate may be an effective addition to standard care to increase sensitivity in detecting prostate cancer and may also help provide more efficient analysis to increase throughput and support high caseload demand in the field.

- Key uncertainties around the evidence are that the available studies are mainly retrospective and only 2 reported on statistical significance of using Paige Prostate compared with standard care alone. None of the studies are UK based.
- **Experts** were positive about the potential to improve both detection and efficiencies in the pathway but highlighted the current lack of prospective data showing the system benefit and cost savings in the UK. Experts highlighted the importance of training for pathologists, particularly in understanding the limitations of the technology.
- The cost of Paige Prostate is based on a software as a service product on a subscription basis which would depend on the laboratory's volume of biopsies but would typically start at £1 per slide. An initial one-off fee is needed for integrating into the laboratory information management system. This varies depending on the level and type of integration and typically starts at £15,000.
- The resource impact may be greater than standard care, needing additional investment initially however further evidence is needed to quantify the real-world cost savings and system impact of Paige Prostate.

Technology costs

The company state that the final cost per case pricing model for Paige Prostate is in development and will include the acquisition or purchase of the software as a service (SaaS) product on a subscription basis. Prices typically start at £1 per slide but can increase depending on the laboratory's volume of prostate biopsies; the number of biopsies per slide; the number of slides per case; and usage of cloud storage and archiving services. This fee includes both detection and grading and quantification modalities with all outputs displayed within the CE-IVD Paige FullFocus clinical viewer. No hardware purchase or installation is needed for a cloud-based system. There are one-time fees associated with integrating Paige Prostate into the laboratory information management system which allows for an optimised, integrated workflow and automatic analysis of prostate cases. This cost depends on the level and type of integration and the laboratory information management system provider with the fee typically starting at £15,000.

NICE. Paige Prostate for prostate cancer. Available at: Overview | Paige Prostate for prostate cancer | Advice | NICE. Last accessed: June 025.

MAT-NL-XTD-2025-00036 | July 2025





Imaging and radiomics

Al-assisted vs. unassisted identification of prostate cancer in magnetic resonance images




Study design:

- 61 readers (34 experts and 27 nonexperts)
- Biparametric prostate MRI examinations were included for 780 men

 Conclusions: All assistance was associated with improved radiologic diagnosis of clinically significant disease; however further research is required to investigate generalisation of outcomes and effects on workflow improvement

The area under the receiver operating characteristics curve (AUROC) diagnostic performance at bpMRI and bpMRI + AI: ROC performance



PACISIVE | EUCAIM



Dr. Antonio Alcaraz







Key facts





A multimodal Al-based toolbox and an interoperable health imaging repository for the empowerment of imaging analysis related to the diagnosis, prediction and follow-up of cancer

Subscribe to our newsletter
incisive-project.eu

Follow us



in @incisiveEu

INCISIVE (join our private group)



Duration: 42 months
From October 2020 to
March 2024



Call: H2020-SC1-FA-DTS-2019

Topic: DT-TDS-05-2020 AI for Health

Imaging



Funding: 9.995.727,50 €



Areas of expertise







Main objectives





Al-based toolbox that supports the decision-making of HCPs in relation to patient prioritisation, cancer diagnosis and risk for metastasis

Targeted impact on:

Healthcare professionals involved in cancer care



Interoperable pan-European federated health data repository (medical images & clinical data) that enables secure data sharing in compliance with ethical, legal and privacy requirements







Data types

Imaging and accompanying clinical and biological data for 4 types of cancer

• 9 data providers (12 hospitals) from 5 countries

Imaging data (at diagnosis and subsequent timepoints)

MRI - CT

CT


Ultrasound - PET-CT

PET-CT

Mammography - X-ray

X-ray

- Histopathological images
- Accompanying clinical data (at diagnosis and timepoints)
- Demographics, treatment, mutations, lab results
- Excel template used for collection





Data collection process







ETHICAL APPROVAL **ACTIONS**



PATIENT SELECTION




IMAGE DE-IDENTIFICATION



CLINICAL DATA EXTRACTION

•From M3-M12 Updates, where required

- Medical image type and quality specifications
 - · Within hospital data collection
 - Complete cases Incomplete cases (less time points available)



- CTP anonymised
- INCISIVE-specific de-identification tool

 Extraction of clinical data from EHR into predefined data templates



DATA QUALITY CHECK





IMAGE ANNOTATION



DATA **HOMOGENISATION**




- **DATA SHARING through INCISIVE REPOSITORY**
 - · Prepare and monitor data availability

- Annotation guidelines
- ITK SNAP tool →
- INCISIVE-specific annotation tool



Mapping to medical ontologies SNOMED-CT & LOINC (semantic)

 Transformation to FHIR data model





CTP, clinical triage platform; EHR, electronic health record; FHIR, Fast Healthcare Interoperability Resources; LOINC, Logical Observation Identifiers Names and Codes; SNOMED-CT, Systemised Nomenclature of Medicine - Clinical Terms. MAT-NL-XTD-2025-00036 | July 2025



INCISIVE achievements



Al toolbox: Al models & pipelines, including FL mechanism

4 cancer types







Hybrid Data Repository infrastructure

>3.7M

cancer images 9.3k

deidentified patients

Data interoperability framework (methodology and tools)

Data sharing framework (methodology and tools)


9+

data providers 9/9

data providers integrated / federated repository




Lesion localisation




Delete Service

Lesion segmentation




Alcaraz A & INCISIVE. Unpublished data included with permission. MAT-NL-XTD-2025-00036 | July 2025

Gland segmentation



Delete Service

ISUP score







Report Generator



Health Care Professional Name Lourdes Mengual

Health Care Professional Role
DATA PROVIDER, MEDICAL PERSONNEL

Health Care Institute IDIBAPS

Contact

Imengual@ub.edu

Report Focus



Organ Prostate

Examination Modality

Magnetic Resonance Imaging (MRI)

Report Identifier



Report Date Created 22/10/24





Summary report

The prostate tissue exhibits no discernible pathological abnormalities, indicating a healthy status without evidence of malignancy or significant abnormalities.

Disclaimer: This medical report is generated by the help of artificial intelligence models designed for cancer diagnosis. It is important to note that the information provided in this report should not be considered a substitute for professional medical advice, diagnosis, or treatment. Medical sentences and terminology are sourced from the American Cancer Society and the National Cancer Institute.






Al-assisted prostate surgery

Al-specific applications in prostate cancer surgery





Al for 3D models implementation




Francesco Porpiglia

How can Al improve prostate cancer surgery?

With the current nomograms we have a prediction accuracy lower than 80%




To improve expected surgical results we can use **new technologies** such as <u>surgical navigation</u>




Slide content provided and presented with permission from Prof. Francesco Porpiglia. AR, augmented reality; MRI, magnetic resonance imaging. MAT-NL-XTD-2025-00036 | July 2025

A step further in the identification of capsular involvement




In case of posterior or anterolateral lesion, the model was mainly stretched and minimally bent




A step further in the identification of capsular involvement



In case of posterior or posterolateral lesion, the model was stretched and mainly bent from back to front




A step further in the identification of capsular involvement



The capsular involvement location resulted in being clearly visible on the surface of the opaque 3D virtual prostate model, irrespective of its location; then, the suspicious area of capsular involvement was marked on the prostate capsule with a metallic clip

A step further in the identification of capsular involvement

Reduction of PSM from 35% to 25%



Histopathological analysis confirmed the presence of a suspicious tumour and capsular involvement at macroscopic and microscopic assessments in all the cases of the 3D AR group and in 86.9% and 47.0% of the 2D cognitive group, respectively.

Augmented reality

Image-guided surgery: 3D model automatic overlapping



- Identify real intraoperative landmarks to anchor virtual landmark
- Based on <u>colours and shape</u> of the landmark
- Once the landmarks are identified a software automatically links the two landmarks


Image-guided surgery: 3D model automatic overlapping





CONVOLUTIONAL NEURAL NETWORK

- <u>Catheter</u> in the prostatic lodge <u>as intraoperative</u>
 <u>landmark</u>
- Two <u>convolutional neural networks</u> (<u>CNN</u>) approach (one for <u>Z-rotation and anchor point</u> and the other for <u>X-rotation</u>)
- <u>Update of the software</u> (<u>c-tracker</u>) allowing the <u>automatic anchorage</u> of the 3D model to the target



Al for image-guided surgery: 3D model automatic overlapping in RARP



CONVOLUTIONAL NEURAL NETWORK

RCT comparing 3D Al-Augmented Reality RARP vs MRI cognitive RARP

104 patients = 40 patients with AI-3D AR and 64 with intraoperative MRI

Studio RIDERS

PI: Prof. Francesco PORPIGLIA
Univerista degli Studi di Torino, Dipartimento di Oncologia

| Protocollo Code | |
|---------------------|-----------------------------------|
| EudraCT Number | |
| | IRCCS Candiolo |
| Promotor | NO PROFIT |
| Phase | Randomized Controlled Trial (RCT) |
| Coordinating Centre | IRCCS Candiolo |

ITUTO DI CANDIOLO

Pay 5 dal 05.02.20

AD INTERIM ANALYSIS

AI-3D Group: PSM reduction of 27.5%

Artificial Intelligence 3D


Augmented Reality
Robot-Assisted-RadicalProstatectomy v.s.
no3D intervention:
a prospective multicenter

randomized controlled trial.

MRI Group: PSM reduction of 9.4%

Unpublished data





mp-MRI, multiparametric magnetic resonance imaging; RARP, robot-assisted radical prostatectomy. Image of Prokar Dasgupta obtained from Wikipedia under CC0.

Figure used with permission from the Centre for Medical Engineering, King's College London. Available at: https://medicalengineering.org.uk/centre-activities/pillar-1-total-body-pet-for-cell-tracking-in-cell-based-therapies/. Last accessed: June 2025.

Al-specific applications in prostate cancer surgery



Combining AI with other technologies

How to further reduce PSM?







Fig. 3 The images depict cut up of prostate during the NeuroSAFE technique and the intra-operative surgical response (i.e. secondary resection (SR) or no SR) according to the margin status

New technologies for intraoperative guidance during RARP such as confocal microscopy

The combination of Al 3D-guided selective biopsy with a real-time specimen evaluation





available at www.sciencedirect.com journal homepage: www.eu-openscience.europeanurology.com





Prostate Cancer

Surgeon Automated Performance Metrics as Predictors of Early Urinary Continence Recovery After Robotic Radical Prostatectomy—A Prospective Bi-institutional Study

Andrew J. Hung^{a,*}, Runzhuo Ma^a, Steven Cen^b, Jessica H. Nguyen^a, Xiaomeng Lei^b, Christian Wagner^c

Al-specific applications in prostate cancer surgery



Al for surgical safety

Al alert systems to enhance surgical safety







Deep learning software trained with videos (each image classified as bleeding/no bleeding)



AI, artificial intelligence. Checcucci E, et al. *J Clin Med* 2023;12:7355. MAT-NL-XTD-2025-00036 | July 2025









Prediction

Prostate cancer survival calculator according to initial treatment modality

Calculating prostate cancer survival^{1,2}

Predictor of survival in PCa: 7,267 patients and 19 variables.

| Mal | e, PCa: | |
|-----|--------------------------|-------------|
| 1. | Age: | 65 years |
| 2. | Height: | 176 cm |
| 3. | Weight: | 87 kg |
| 4. | PSA: | 4.9 ng/mL |
| 5. | Prostate volume: | 56 cc |
| 6. | Nº cores (+) >12: | 1 core |
| 7. | Maximum affected (%): | 10 % |
| 8. | Gleason Score: | 2 (7 = 3+4) |
| 9. | Charlson: | 2 |
| 10. | ECOG: | 1 |
| 11. | Stage T: | T1c |
| 12. | | N0 |
| 13. | Stage M: | M0 |
| 14. | Recurrence: | No |
| | HTA: | Yes |
| 16. | Diabetes Mellitus: | No |
| | Tuberculosis: | No |
| | Liver cirrhosis: | No |
| 19. | Cerebrovascular disease: | No |




Table and figure provided by the speaker as a worked example.

ECOG, Eastern Cooperative Oncology Group; PCa, prostate cancer; PSA, prostate-specific antigen.

^{1.} Prostate Cancer Survival Calculator According to Initial Treatment Modality [Example provided by the speaker]. Available at: https://scapcalculator.yuhs.ac. Last accessed: June 2025; 2. Koo KC, et al. World J Urol 2020;38:2469–2476. MAT-NL-XTD-2025-00036 | July 2025

Al and prostate cancer




Biochemically Recurrent Disease

Metastatic Disease

Castrate-Sensitive

Castrate-Resistant



- Prediction of biochemical recurrence
- Prognostic categorization

Drug development

- · Drug sensitivity
- Drug resistance

MANAAAA → output ↔ eutcome

Figure adapted from Riaz I, et al.
Al, artificial intelligence.
Riaz I, et al. *Am Soc Clin Oncol Educ Book*. 2024;44:e438516.
MAT-NL-XTD-2025-00036 | July 2025


ASTRO 2023: Post-prostatectomy risk stratification of BCR using transfer learning-based multi-modal Al




| Biomarker | Pathological data source | Outcome |
|---------------------------------------|--------------------------|----------------------------|
| CAPRA-S (Cooperberg et al. 2011) | Prostatectomy | C-index = 0.73 |
| Decipher (Erho et al. 2013) | Prostatectomy tissue | AUC = 0.75 (0.67–0.83) |
| Decipher + CAPRA (Nguyen et al. 2017) | Diagnostic biopsy | C-index = 0.71 (0.60-0.82) |

Rate of biochemical recurrence

Biochemical recurrence rate, overall cohort



BCR according to TRAIL outcome



Figures adapted from Baydoun A, et al. 2023.

Al, artificial intelligence; BCR, biochemical recurrence; TRAIL, Transfer leaning-based multi-modal Artificial Intelligence model.

Baydoun A, et al. Presented at ASTRO 2023, 01–04 October 2023, San Diego, CA, USA – as reported by UroToday. Available at: https://www.urotoday.com/conference-highlights/astro-2023/astro-2023-prostate-cancer/147154-astro-2023-post-prostate-ctomy-risk-stratification-of-biochemical-recurrence-using-transfer-learning-based-multi-modal-artificial-intelligence.html. Last accessed: June 2025.

MAT-NL-XTD-2025-00036 | July 2025

Can we predict pathology without surgery?

Weighing the added value of multiparametric MRI and whole prostate radiomics in integrative machine learning models






Figure adapted from Marvaso G, et al. 2024.

ADC, apparent diffusion coefficient; EPE, extraprostatic extension; GS, Gleason score; ISUP, International Society of Urological Pathology; N, nodal score; PI-RADS; T, tumour score. Marvaso G, et al. *Eur Radiol* 2024;34:6241–6253.


Post-op ISUP group



Cumulative: 31.8%



Cumulative: 59.3%




Cumulative: 48.8%





Decision making process





Artificial intelligence predictive model for hormone therapy use in prostate cancer



BACKGROUND Androgen deprivation therapy (ADT) with radiotherapy can benefit patients with localized prostate cancer. However, ADT can negatively impact quality of life, and there remain no validated predictive models to guide its use.

METHODS We used digital pathology images from pretreatment prostate tissue and clinical data from 5727 patients enrolled in five phase 3 randomized trials, in which treatment was radiotherapy with or without ADT, as our data source to develop and validate an artificial intelligence (AI)-derived predictive patient-specific model that would determine which patients would develop the primary end point of distant metastasis.

Al and prostate cancer

Localized Disease

Biochemically Recurrent Disease


Metastatic Disease

Castrate-Sensitive

Castrate-Resistant

Drug development

- · Drug sensitivity
- Drug resistance



Al and prostate cancer

Localized Disease

Biochemically Recurrent Disease

Metastatic Disease


Castrate-Sensitive




Diagnosis

- · Detection of metastases · Detection of castration resistance
 - Prognostication
- · Risk categorization using:
 - Volume of disease
 - Timing of metastatic presentation

- **Outcomes ascertainment**
- PSA progression
- Radiographic progression
- Treatment response








Figure adapted from Riaz I, et al. 2024. Al, artificial intelligence. Riaz I, et al. *Am Soc Clin Oncol Educ Book*. 2024;44:e438516. MAT-NL-XTD-2025-00036 | July 2025






By Thomas J. Hwang 2 & Prokar Dasgupta

Nature **632**, 985 (2024) *doi: https://doi.org/10.1038/d41586-024-02753-3*











Please refer to the EMA SmPC for XTANDI™ (enzalutamide) via the following link: https://www.ema.europa.eu/en/documents/product-information en.pdf



Scan/click here for the XTANDI™ UK prescribing information



Scan/click here for the XTANDI™ NL SmPC